j	
<b>.</b>	

A 3

L	Hits	Search Text	DB	Time stamp
Number				
-	5817	(timer (time near3 device)) and (state adj machine)	USPAT; EPO; JPO; IBM TDB	2003/03/10 17:25
-	102	((timer (time near3 device)) and (state adj machine)) and ((API DLL\$1) near3 (function\$1 method\$1))	USPAT; EPO; JPO; IBM TDB	2003/03/07 16:48
-	85	(((timer (time near3 device)) and (state adj machine)) and ((API DLL\$1) near3	USPAT; EPO; JPO;	2003/03/07 16:41
		(function\$1 method\$1))) and (synchronous asynchronous)	IBM_TDB	
-	44	<pre>(((timer (time near3 device)) and (state adj machine)) and ((API DLL\$1) near3 (function\$1 method\$1))) and synchronous and asynchronous</pre>	USPAT; EPO; JPO; IBM_TDB	2003/03/07 16:41
-	1156		USPAT; EPO; JPO; IBM TDB	2003/03/07 16:48
-	1146	(timer and (timer near3 (expire\$1 stop idle run\$3)) and (state adj machine)) and (API DLL\$1 function\$1 method\$1)	USPĀT; EPO; JPO; IBM TDB	2003/03/07 16:48
_	50	(timer and (timer near3 (expire\$1 stop idle run\$3)) and (state adj machine)) and ((API DLL\$1) near3 (function\$1 method\$1))	USPAT; EPO; JPO; IBM TDB	2003/03/07 16:51
-	63 °	<pre>(timer and (timer near3 (expire\$1 stop   idle run\$3)) and (state adj machine)) and</pre>	USPĀT; EPO; JPO;	2003/03/07 17:09
_	468	((synchronous asynchronous) adj3 (machine system computer)) 709/314,328,320.ccls.	IBM_TDB USPAT;	2003/03/07
-	24		EPO; JPO; IBM_TDB USPAT;	17:09 2003/03/07
_	64	machine) 709/314,328,320.ccls. and timer	EPO; JPO; IBM_TDB USPAT;	17:11 2003/03/07
-	57	(709/314,328,320.ccls. and timer) and	EPO; JPO; IBM_TDB USPAT;	17:12   2003/03/07
_	10	(expired run idle stop) 709/314,328,320.ccls. and timer and	EPO; JPO; IBM_TDB USPAT;	17:11 2003/03/07
		(state adj2 machine)	EPO; JPO; IBM_TDB	17:12
-	1	5958019.pn. and timer	USPAT; EPO; JPO; IBM TDB	2003/03/11
-	105	709/310,328,329.ccls. and timer	USPAT; EPO; JPO; IBM TDB	2003/03/11 15:21
_	85	timer near3 (manage\$4 adj (system application module))	USPAT; EPO; JPO; IBM TDB	2003/03/11 15:23
-	9	(timer near3 (manage\$4 adj (system application module))) and (state adj machine)	USPAT; EPO; JPO; IBM TDB	2003/03/11 15:26
-	13	(timer near3 (manage\$4 adj (system application module))) and (state near3 timer)	USPAT; EPO; JPO; IBM TDB	2003/03/11 15:26
-	1112	timer same (state adj machine)	USPAT; EPO; JPO; IBM TDB	2003/03/11 17:10
-	172	(timer same (state adj machine)) and (timer near3 (API interface function\$1 method\$1))	USPAT; EPO; JPO; IBM TDB	2003/03/11 17:26
_	1391	(timer or (timer adj object)) same (state near3 (transition transfer expire\$1))	USPĀT; EPO; JPO;	2003/03/11 17:27
-	828	((timer or (timer adj object)) same (state near3 (transition transfer	IBM_TDB USPAT; EPO; JPO;	2003/03/11 17:27
L	L	expire\$1))) and (API interface)	IBM_TDB	l

-	409	(((timer or (timer adj object)) same	USPAT;	2003/03/11
		<pre>(state near3 (transition transfer expire\$1))) and (API interface)) and</pre>	EPO; JPO; IBM TDB	17:27
1		(state adj machine)	1011_100	
_	7	(((timer or (timer adj object)) same	USPAT;	2003/03/11
		(state near3 (transition transfer	EPO; JPO;	17:29
		expire\$1))) and (API interface)) and	IBM_TDB	
		((illegal time\$1out) adj2 message\$1)	<del></del>	
-	4	((((timer or (timer adj object)) same	USPAT;	2003/03/11
		<pre>(state near3 (transition transfer expire\$1))) and (API interface)) and</pre>	EPO; JPO;	17:32
		(state adj machine)) and ((illegal	IBM_TDB	
		time\$1out) adj2 message\$1)		
_	2	((timer near3 expire\$1) and database and	USPAT;	2003/03/11
		API) and ((illegal or (time\$1out)) adj	EPO; JPO;	17:33
		message)	IBM_TDB	0000 (00 (44
-	165	(timer near3 expire\$1) and database and	USPAT;	2003/03/11
		API	EPO; JPO; IBM TDB	17:40
_	60	((timer near3 expire\$1) and database and	USPAT;	2003/03/11
		API) and synchronous and asynchronous	EPO; JPO;	17:42
		_	IBM_TDB	
-	271	(timer near3 expire\$1) and API	USPAT;	2003/03/11
			EPO; JPO;	17:40
_	0	((timer near3 expire\$1) and API) and	IBM_TDB USPAT;	2003/03/11
	Ĭ	(synchronous adj (system computer)) and	EPO; JPO;	17:41
		(asynchronous adj (system computer))	IBM_TDB	
_	1	((timer near3 expire\$1) and API) and	USPĀT;	2003/03/11
		(synchronous adj3 (system computer)) and	EPO; JPO;	17:41
	0.6	(asynchronous adj3 (system computer))	IBM_TDB	2002/02/11
-	86	((timer near3 expire\$1) and API) and synchronous and asynchronous	USPAT; EPO; JPO;	2003/03/11
		synchical and asynchical	IBM TDB	17.42
-	7	(timer adj management) and (state adj	USPĀT;	2003/03/12
		machine)	EPO; JPO;	15:47
	_		IBM_TDB	2002/02/10
_	6	(timer adj management) and (timer adj (object\$1 service\$1))	USPAT; EPO; JPO;	2003/03/12 15:48
		(object) service())	IBM TDB	13.40
_	6	(timer adj management) and (timer adj	USPAT;	2003/03/12
		(object\$1 service\$1)) and timer	EPO; JPO;	15:54
		W5 70 65 4 5 11 700	IBM_TDB	0000/00/10
-	1	"5706515".PN.	USPĀT	2003/03/12 15:52
_	1	"5694604".PN.	USPAT	2003/03/12
		0031001 11111	12111	15:53
-	1	"4589093".PN.	USPAT	2003/03/12
				15:54
-	7	(timer adj manage\$4) and (timer adj	USPAT;	2003/03/12
		(object\$1 service\$1)) and timer	EPO; JPO; IBM TDB	15:55
_	1	"5533020".PN.	USPAT	2003/03/12
				15:56
-	1	"5386561".PN.	USPAT	2003/03/12
	_	H5102106H DV	IIGDAE.	15:57
	1	"5193186".PN.	USPAT	2003/03/12 15:57
	1	"5193186".PN.	USPAT	2003/03/12
				15:58
_	15	(transport adj module\$1) same register\$3	USPAT;	2003/03/13
			EPO; JPO;	09:20
	100	/*************************************	IBM_TDB	2002/02/12
-	189	<pre>(transport adj (module\$1 protocol)) and (register\$3 near3 (client\$1 application\$1</pre>	USPAT; EPO; JPO;	2003/03/13
	1	program\$1))	IBM TDB	05.23
-	92	((transport adj (module\$1 protocol)) and	USPAT;	2003/03/13
		(register\$3 near3 (client\$1 application\$1	EPO; JPO;	09:24
		program\$1))) and queue\$3	IBM_TDB	2002/02/14
-	358	(timer near3 (service\$1 manage\$4)) same (state (state adj machine))	USPAT;	2003/03/14
		(scace (scace adj machine))	EPO; JPO; IBM TDB	10.55
L	1	l	1	

				2002/02/2
-	80	((timer near3 (service\$1 manage\$4)) same	USPAT;	2003/03/14
		(state (state adj machine))) and (timer	EPO; JPO;	11:00
		near3 expir\$3)	IBM_TDB	0000/00/11
-	6231	(timer or (timer adj object)) near3 state	USPAT;	2003/03/14
			EPO; JPO;	11:16
			IBM_TDB	0000/00/11/
-	713	((timer or (timer adj object)) near3	USPAT;	2003/03/14
		state) and (timer near3 expir\$3)	EPO; JPO;	11:00
1			IBM_TDB	
-	26		USPAT;	2003/03/14
		state) and (timer near3 expir\$3)) and	EPO; JPO;	11:05
		((synchronous asynchronous) adj3 (machine	IBM_TDB	
		system computer))		
-	164	(((timer or (timer adj object)) near3	USPAT;	2003/03/14
		state) and (timer near3 expir\$3)) and	EPO; JPO;	11:18
ŀ		queue	IBM_TDB	
_	11705	(timer or (timer adj object)) same	USPAT;	2003/03/14
		(synch\$ asynch\$)	EPO; JPO;	11:17
			IBM_TDB	
-	821	((timer or (timer adj object)) same	USPAT;	2003/03/14
		(synch\$ asynch\$)) and (state adj machine)	EPO; JPO;	11:20
			IBM_TDB	
-	84	((timer or (timer adj object)) same	USPAT;	2003/03/14
		(synch\$ asynch\$)) and (timer near4 (state	EPO; JPO;	11:36
		adj machine))	IBM_TDB	
-	101	timer adj object	USPAT;	2003/03/14
			EPO; JPO;	11:42
			IBM_TDB	
-	62962	(timer).ab.	USPAT;	2003/03/14
			EPO; JPO;	11:43
			IBM_TDB	
_	439	(timer adj2 (object state service\$1	USPAT;	2003/03/14
		manag\$)).ab.	EPO; JPO;	11:43
			IBM_TDB	
-	0	((timer adj2 (object state service\$1	USPAT;	2003/03/14
į		manag\$)).ab.) and (synch\$ same asynch\$)	EPO; JPO;	11:44
			IBM_TDB	
-	281	((timer adj2 (object state service\$1	USPAT;	2003/03/14
		manag\$)).ab.) and (state (state adj	EPO; JPO;	11:45
		machine))	IBM_TDB	
-	3	, , , , , , , , , , , , , , , , , , , ,	USPAT;	2003/03/14
		manag\$)).ab.) and (state (state adj	EPO; JPO;	11:48
		machine))) and synch\$ and asynch\$	IBM_TDB	
-	496	713/502.ccls.	USPAT;	2003/03/17
			EPO; JPO;	15:44
			IBM_TDB	
-	222	713/502.ccls. and timer	USPAT;	2003/03/17
	1		EPO; JPO;	15:47
			IBM_TDB	
-	26	1 '	USPAT;	2003/03/17
		machine)	EPO; JPO;	15:47
			IBM_TDB	0000/00/45
-	1	object\$1 same (state adj machine) and	USPAT;	2003/03/17
		(illegal adj4 message\$1)	EPO; JPO;	16:19
			IBM_TDB	000046545
-	6284	object\$1 and (API interface) and (synch\$	USPAT;	2003/03/17
		same asynch()	EPO; JPO;	16:29
			IBM_TDB	0000/65/55
-	1170	(object\$1 and (API interface) and (synch\$	USPAT;	2003/03/17
1		same asynch\$)) and (state adj machine)	EPO; JPO;	16:29
			IBM_TDB	0000/65/45
-	15	, , , , , , , , , , , , , , , , , , , ,	USPAT;	2003/03/17
		(synch\$ same asynch\$)) and (state adj	EPO; JPO;	16:20
	ļ	machine)) and (illegal near3 (message\$1	IBM_TDB	
	1	error\$1))		0000/00/00
-	1581	(object\$1 same (API interface)) and	USPAT;	2003/03/17
	1	(synch\$ same asynch\$)	EPO; JPO;	16:28
		1,	IBM_TDB	0000/00/
-	307	((object\$1 same (API interface)) and	USPAT;	2003/03/17
	1	(synch\$ same asynch\$)) and (state adj	EPO; JPO;	16:32
		machine)	IBM_TDB	

	1 1	UCO11FFOU DM	TICDAM	2002/02/17
-	1	"6011559".PN.	USPAT	2003/03/17
_	8	(active adj queue) and consumer\$1	USPAT;	2003/03/18
	1 "	(active ad) quede/ and consumeror	EPO; JPO;	14:13
:			IBM TDB	
_	1	6012081.pn.	USPAT;	2003/04/02
	_		EPO; JPO;	11:53
	1		IBM TDB	
_	1	6349388.pn.	USPĀT;	2003/04/02
		•	EPO; JPO;	11:53
			IBM TDB	
-	1	5619510.pn.	USPAT;	2003/04/02
		_	EPO; JPO;	13:57
			IBM_TDB	
-	1	5341478.pn.	USPAT;	2003/04/02
			EPO; JPO;	13:57
			IBM_TDB	l
-	1	6618805.pn.	USPAT;	2004/01/15
İ			EPO; JPO;	13:36
	_		IBM_TDB	
_	1	(timer near4 expir\$4) same (illegal adj2	USPAT;	2004/01/15
		(message\$1 error\$1 exception\$1))	US-PGPUB;	16:48
			EPO; JPO;	
	1		DERWENT; IBM TDB	
I _	18	timer near4 expir\$4) and (illegal adj2	USPAT;	2004/01/15
-	10	(message\$1 error\$1 exception\$1))	US-PGPUB;	16:52
		/messaget1 ellott1 exception(1)/	EPO; JPO;	10.52
			DERWENT;	1
			IBM TDB	İ
_	961031	(timer near4 expir\$4) and (illegal adj2	USPAT;	2004/01/15
	301001	message\$1) error\$1 exception\$1	US-PGPUB;	16:52
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	961031	(timer near4 expir\$4) same (illegal adj2	USPAT;	2004/01/15
		message\$1) error\$1 exception\$1	US-PGPUB;	16:53
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	961031		USPAT;	2004/01/15
		adj2 message\$1) error\$1 exception\$1	US-PGPUB; EPO; JPO;	16:53
			DERWENT;	
			IBM TDB	
_	391	(timer near4 expir\$4) near20 ((illegal	USPAT;	2004/01/15
		adj2 message\$1) error\$1 exception\$1)	US-PGPUB;	16:58
		wwg	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	100	((timer near4 expir\$4) near20 ((illegal	USPAT;	2004/01/15
		adj2 message\$1) error\$1 exception\$1)) and	US-PGPUB;	16:54
		(state adj machine)	EPO; JPO;	
			DERWENT;	]
			IBM_TDB	2004/02/25
-	938	(timer near3 expir\$4) same ((illegal adj2	USPAT;	2004/01/15
		message\$1) error\$1 exception\$1)	US-PGPUB;	16:59
			EPO; JPO; DERWENT;	
			IBM TDB	
_	126	((timer near3 expir\$4) same ((illegal	USPAT;	2004/01/15
		adj2 message\$1) error\$1 exception\$1)) and	US-PGPUB;	17:01
		((application\$1 program\$1) near6	EPO; JPO;	
		request\$1)	DERWENT;	
			IBM_TDB	
-	9	(((timer near3 expir\$4) same ((illegal	USPĀT;	2004/01/15
	1	adj2 message\$1) error\$1 exception\$1)) and	US-PGPUB;	17:06
		((application\$1 program\$1) near6	EPO; JPO;	
		request\$1)) and (timer near3 state\$1)	DERWENT;	
			IBM_TDB_	

-	23	(((timer near3 expir\$4) same ((illegal	USPAT;	2004/01/15
		<pre>adj2 message\$1) error\$1 exception\$1)) and ((application\$1 program\$1) near6</pre>	US-PGPUB;	17:08
		request\$1)) and (timer near3 (allocat\$3	EPO; JPO; DERWENT;	
i		creat\$3 generat\$3))	IBM TDB	
_	2770	(timer near3 (manag\$ API system)).ab.	USPAT;	2004/01/15
			US-PGPUB;	17:35
			EPO; JPO;	
			DERWENT;	
		44.5	IBM_TDB	2024/01/15
-	49	<pre>((timer near3 (manag\$ API system)).ab.) and ((avoid occur\$ incurr\$) near3</pre>	USPAT; US-PGPUB;	2004/01/15 17:45
		((illegal adj2 message\$1) error\$1	EPO; JPO;	17.45
		exception\$1))	DERWENT;	
			IBM TDB	
-	11	((timer near3 (manag\$ API system)).ab.)	USPAT;	2004/01/15
		and ((filter\$3 avoid\$3) near3 ((illegal	US-PGPUB;	17:47
		<pre>adj2 message\$1) error\$1 exception\$1))</pre>	EPO; JPO;	
			DERWENT; IBM TDB	
<u> </u>	2452	timer and ((filter\$3 avoid\$3) near3	USPAT;	2004/01/15
	2.102	((illegal adj2 message\$1) error\$1	US-PGPUB;	17:48
		exception\$1))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/01/15
-	160	timer.ab. and ((filter\$3 avoid\$3) near3 ((illegal adj2 message\$1) error\$1	USPAT; US-PGPUB;	2004/01/15 17:48
		((lilegal adj2 message\$1) ellol\$1   exception\$1))	EPO; JPO;	17.40
		exceptionally	DERWENT;	
1			IBM TDB	
_	134	(timer.ab. and ((filter\$3 avoid\$3) near3	USPĀT;	2004/01/15
		((illegal adj2 message\$1) error\$1	US-PGPUB;	17:48
		exception\$1))) and @ad<20000928	EPO; JPO;	
1			DERWENT; IBM TDB	
	15	((timer.ab. and ((filter\$3 avoid\$3) near3	USPAT;	2004/01/15
	"	((illegal adj2 message\$1) error\$1	US-PGPUB;	17:49
		exception(1))) and @ad<20000928) and	EPO; JPO;	
		(timer near3 (API method\$1 function\$1))	DERWENT;	
		6550515	IBM_TDB	2004/01/28
-	1	6550515.pn.	USPAT; EPO; JPO;	13:45
			IBM TDB	13.43
_	1	6550015.pn.	USPAT;	2004/01/28
		•	EPO; JPO;	13:55
			IBM_TDB	0004/02/00
-	182	allocat\$3 with timer\$1 with memory	USPAT;	2004/01/28
	į.		US-PGPUB; EPO; JPO;	14:00
			DERWENT;	
			IBM TDB	
-	10		USPĀT;	2004/01/28
		(timer near3 expir\$3)) and (timer with	US-PGPUB;	14:00
		state\$1)	EPO; JPO;	
			DERWENT; IBM TDB	
_	37	(allocat\$3 with timer\$1 with memory) and	USPAT;	2004/01/28
	]	(timer near3 expir\$3)	US-PGPUB;	14:06
		• • • • • • • • • • • • • • • • • • • •	EPO; JPO;	
			DERWENT;	
	_	C012001 mm	IBM_TDB	2004/01/20
_	1	6012081.pn.	USPAT; EPO; JPO;	2004/01/28 15:32
			IBM TDB	13.32
_	1	6012081.pn. and database	USPAT;	2004/01/28
	1		EPO; JPO;	15:32
			IBM_TDB	
-	0	5768572.pn. and (multi\$ adj2 thread\$1)	USPAT;	2004/01/28
			EPO; JPO;	15:45
L	L		IBM TDB	

-	0 5768572.	pn. and thread\$1	USPAT;	2004/01/28
1			EPO; JPO;	15:45
			IBM_TDB	